

A collection of leathers suitable for athletic footwear.

— 2nd edition —





Material Index

Brilliant Shine	2
Century	4
Chariot	6
Dimension	8
Elegance WP	10
Opal	12
Plunge	14
Porcelain WP	16
Roadrunner WP Dull #7	18
Sellafix	20
Shaun HVY	22
Shazam Washable	24
Shout	26
Smooth	28
Stonehenge	30
Tahoe	32
Utopia WP	34





With its BRILLIANT SHINE this bright metallic beauty with fine grain and feminie softness is a great option for women's casuals & sandals.

Temper:	3.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.0 - 1.4mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO " *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Light	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version - <i>Brilliant WP</i> is available.
Environmental Impact:	1 Sqft of Leather =	8.72 Liters of Water Saved **Total Control of Control
		*Please check LITE Index for a full LITE Explanation.









Century

The ultimate athletic leather! Everything a brand needs to deliver a consistent, high quality fashionable sneaker.

Temper:	2.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO 15 For Regen, max. thickness 1.68mm
Milling Pattern:	None	Waterproof ☐ Non Waterproof ☑
SATRA:	85%	Waterproof version is not available.
Environmental Impact:	1 Sqft of Leather =	9.47 Liters of Water Saved 2.68 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.







The perfect pebble grain for athletic footwear. Competitively priced and easy to cut!

Temper:	4.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
remper.	4.0 (+/- 0.3) @2311111	No finishing needed.
Color Range Available:	Light - Dark	TWO IIIIISTIIIING FLEEGEG.
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 10%	YES NO " *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Embossed	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version - Aster WP is available.
Environmental Impact:	1 Sqft of Leather =	9.89 Liters of Water Saved 4 2.23 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.





o vvinte





A tannage with not only a soft temper, but a soft surface touch. The denim texture & color combination redefines stone washed.

Temper:	4.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Medium	No finishing needed.
Weight Range Available:	1.0 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 10%	YES NO "For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Light	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version is not available.
Environmental Impact:	1 Sqft of Leather	8.71 Liters of Water Saved + 3.10 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.











Clean & minimal, ELEGANCE WP is a smooth and shiny elevated WP tannage.

Temper:	2.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.2 - 1.8mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	None	Waterproof Non Waterproof Waterproof Spec: 15,000 Flexes, Absorpsion: 20% after
SATRA:	85%	15,000 Flexes. Wicking: 10mm after 1 hour. Non waterproof version - New Vaquer is available.
Environmental Impact:	1 Sqft of Leather	8.76 Liters of Water Saved *Please check LITE Index for a full LITE Explanation.





10 Black





Beautiful embossed leather with a Saffiano design. Medium temper and shine it is a great option to pair with other materials.

Temper:	3.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.2 - 1.4mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 10%	YES NO " *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Embossed	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version is not available.
Environmental Impact:	1 Sqft of Leather	8.72 Liters of Water Saved **The same of the same of
		*Please check LITE Index for a full LITE Explanation.









An inspiration for cozy comfort, PLUNGE is a new, naturally milled full grain perfect for all styles where softness is important.

Temper:	4.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	Leave as is or polish with cotton wheel to restore shine.
Weight Range Available:	1.2 - 2.0mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO "For Regen, max. thickness 1.68mm For Regen, no SATRA"
Milling Pattern:	Heavy	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version - <i>Plunge WP</i> is available.
Environmental Impact:	1 Sqft of Leather	9.87 Liters of Water Saved 4 2.92 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.











A smooth waterproof active leather available in all colors. This tannage is perfect for more outdoor application where waterproof performance is needed.

Temper:	2.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.0 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO "For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Light	Waterproof Non Waterproof Waterproof Spec: 15,000 Flexes. Absorpsion: 20% after
SATRA:	85%	15,000 Flexes. Wicking: 10mm after 1 hour. • Non waterproof version - <i>Porcelain</i> is available.
Environmental Impact:	1 Sqft of Leather	8.61 Liters of Water Saved **The same of the same of
		*Please check LITE Index for a full LITE Explanation.





White 17








The ultimate performance athletic leather! Pebble grain, strong finish with high abrasion results and 25,000 maeser flexes. Perfect for Golf applications!

Temper:	2.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.4 - 2.0mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO " *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Embossed	Waterproof Non Waterproof Waterproof Spec: 25,000 Flexes. Absorption: 20%
SATRA:	85%	after 25,000 Flexes. Wicking: 10mm after 2 hours. • Always waterproof.
Environmental Impact:	1 Sqft of Leather	8.83 Liters of Water Saved **Total Control of Energy Saved** **Total Control of Ener
		*Please check LITE Index for a full LITE Explanation.









SELLAFIX is a versatile finished nappa that features a soft hand and durable finish. It works for athletic styles or deconstructed ballet patterns. It's available in all colors.

Temper:	4.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 10%	YES NO " *For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA
Milling Pattern:	Heavy	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version - Virginia WP is available.
Environmental Impact:	1 Sqft of Leather =	9.62 Liters of Water Saved + 2.39 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.









Shaun HVY

SHAUN is ISA's flagship active leather. A softly milled nappa, with rubberized surface. This HVY (Heavy) version is available in higher thicknesses.

Temper:	3.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion:
Color Range Available:	Light - Dark	No finishing needed.
Weight Range Available:	1.6 - 2.2mm	Available on Greener Pastures™ (GP) or Regenerative Hides?
Oil Content:	Max 12%	YES NO "For Regen, max. thickness 1.68mm "For Regen, no SATRA"
Milling Pattern:	Heavy	Waterproof ☐ Non Waterproof ✔
SATRA:	85%	Waterproof version - Shaun HVY WP is available.
Environmental Impact:	1 Sqft of Leather	8.72 Liters of Water Saved 4 2.76 MJ of Energy Saved
		*Please check LITE Index for a full LITE Explanation.



Puffin's Bill





Shazam Washable



SHAZAM is a washable version of our famous leather SHAUN. An athletic inspired nappa with a soft hand and a talc-y surface feel. All colors are available.

Temper:	3.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion: No finishing needed.	
Color Range Available:	Light - Dark		
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 12%	YES NO "For GP / Regen, max. thickness 1.68mm for Regen, no SATRA	
Milling Pattern:	Medium	Waterproof ☐ Non Waterproof ✔	
SATRA:	85%	Waterproof version is not available.	
Environmental Impact:	1 sqft of Leather	8.44 Liters of Water Saved *Please check LITE Index for a full LITE Explanation.	



24 Black 25





SHOUT offers everyday function with a clean, pebbled texture and huge color palette. Perfect for any athletic or hybrid pattern.

Temper:	3.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion:	
Color Range Available:	Light - Dark	No finishing needed.	
Weight Range Available:	1.2 - 1.8mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 10%	YES NO "*For Regen, max. thickness 1.68mm	
Milling Pattern:	Embossed	Waterproof ☐ Non Waterproof ✔	
SATRA:	85%	Waterproof version - <i>Thor WP</i> is available.	
Environmental Impact:	1 Sqft of Leather	9.89 Liters of Water Saved 4 2.23 MJ of Energy Saved	
		*Please check LITE Index for a full LITE Explanation.	





Puffin's Bill





SMOOTH is exactly as the name says! A tight, box type tannage with a slick surface and medium sheen.

Temper:	1.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion: Has the ability to polish.	
Color Range Available:	Light - Dark		
Weight Range Available:	1.2 - 1.8mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 10%	YES NO "For GP / Regen, max. thickness 1.68mm "For Regen, no SATRA"	
Milling Pattern:	Light	Waterproof ☐ Non Waterproof ✔	
SATRA:	85%	Waterproof version is not available.	
Environmental Impact:	1 Sqft of Leather =	9.50 Liters of Water Saved + 2.75 MJ of Energy Saved	
		*Please check LITE Index for a full LITE Explanation.	









The light and airy STONEHENGE provides the ultimate soft and stonewashed look.

Temper:	3.5 (+/- 0.5) @25mm	Shoe Finishing Suggestion: No finishing needed.	
Color Range Available:	Light - Dark		
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 10%	YES NO 5 'For Regen, max. thickness 1.6 'For Regen, no SATRA	
Milling Pattern:	Heavy	Waterproof ☐ Non Waterproof ✔	
SATRA:	85%	Waterproof version is not available.	
Environmental Impact:	1 Sqft of Leather	8.68 Liters of Water Saved **The same of the saved **The same of the saved **The saved *	
·		*Please check LITE Index for a full LITE Explanation.	





Puffin's Bill





TAHOE is a premium athletic nappa from ISA. Smooth throughout the side with light translucent finish.

Temper:	4.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion: No finishing needed.	
Color Range Available:	Light - Dark		
Weight Range Available:	1.2 - 1.6mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 10%	YES NO "*For Regen, max. thickness 1.68mm *For Regen, no SATRA	
Milling Pattern:	Medium	Waterproof ☐ Non Waterproof ✔	
SATRA:	85%	Waterproof version - <i>Utopia WP</i> is available.	
Environmental Impact:	1 Sqft of Leather	8.69 Liters of Water Saved **The same of the same of	
·		*Please check LITE Index for a full LITE Explanation.	













Waterproof full grain nappa option for performance active styles. Softer temper, minimal grain and unlimited colors!

Temper:	3.0 (+/- 0.5) @25mm	Shoe Finishing Suggestion: No finishing needed.	
Color Range Available:	Light - Dark		
Weight Range Available:	1.2 - 1.4mm	Available on Greener Pastures™ (GP) or Regenerative Hides?	
Oil Content:	Max 12%	YES NO "For GP / Regen, max. thickness 1.68mm *For Regen, no SATRA	
Milling Pattern:	Medium	Waterproof Non Waterproof Waterproof Spec: 15,000 Flexes. Absorpsion: 20% after	
SATRA:	85%	15,000 Flexes. Wicking: 10mm after 1 hour. Non waterproof version - <i>Tahoe</i> is available.	
Environmental Impact:	1 Sqft of Leather	8.76 Liters of Water Saved *Please check LITE Index for a full LITE Explanation.	



ISA LITE INDEX

	ARTICLE	Liters of Water Saved	MJ of Energy Saved
1	Brilliant Shine	8.72	2.65
2	Century	9.47	2.68
3	Chariot	9.89	2.23
4	Dimension	8.71	3.10
5	Elegance WP	8.76	2.82
6	Opal	8.72	2.92
7	Plunge	9.87	2.92
8	Porcelain WP	8.61	3.22
9	Roadrunner WP Dull #7	8.83	2.22
10	Sellafix	9.62	2.39
11	Shaun HVY	8.72	2.76
12	Shazam Washable	8.44	2.83
13	Shout	9.89	2.23
14	Smooth	9.50	2.75
15	Stonehenge	8.68	2.77
16	Tahoe	8.69	2.68
17	Utopia WP	8.76	2.56

The numbers are showing the energy and water an article will save per square foot, comparing to the Bronze Rate (65%) in the latest LWG Protocol of 50.4 MJ/m² (4.68 MJ/sqf) for energy consumption and 134.1 L/m² (12.46 L/sqf) for water consumption.

LWG (Leather Working Group), a multi-stakeholder group, develops and maintains a protocol that assesses the compliance and environmental performance of tanners, promotes and appreciates environmental business practices within the leather industry.





iscover more about

ISA TanTec Ltd.

Headquarters
Avenida Da Praia Grande N. 619
Comercial Si Toi, 5 Andar 8, 999078, Macau, P. R. China
Tel: +853 2835 6320

Mississippi TanTec Leather, Inc.

101 TanTec Way, Vicksburg, MS 39183, USA Tel: +1 601 429 6081

Saigon TanTec Leather Ltd.

Lot M2-M3, Street No. 5, Viet Huong 2 Industrial Park, An Tay Ward, Ben Cat City, Binh Duong Province, Vietnam Tel: +84 274 357 9101 / 357 9102

TransAsia TanTec Ltd.

Lot B6.1, C4 Street,
Thanh Thanh Cong Industrial Park, An Hoi Quarter,
An Hoa Ward, Trang Bang Town,
Tay Ninh Province, 840000, Vietnam
Tel: +84 276 388 3382

Heshan TanTec Leather Co., Ltd.

No. 1 Xingli Road, Hecheng Town, Heshan City, Guangdong Province, 529727, P. R. China Tel: +86 750 831 3280 / 831 3294

Send us an email to *info@tantec1.com* for inquiries.



