**Mississippi TanTec Leather, Inc.** 101 TanTec Way, Vicksburg, MS 39183, USA Tel: +1 601 429 6081 Fax: +1 601 429 6082

Saigon TanTec Leather Ltd. Lot M2-M3, Viet Huong 2 Industrial Park, An Tay Village, Ben Cat District, Binh Duong Province, Vietnam Tel: +84 274 357 9101/357 9102 Fax: +84 274 357 9103

### Heshan TanTec Leather Co., Ltd.

No.3 Industrial Zone, Hecheng Town, Heshan City, Guangdong Province, 529727, China Tel: +86 750 831 3280/831 3294 Fax: +86 750 831 3288

### Scamosceria del Brenta srl

Via Pre' 42 - C.P. n. 5, 36061 Bassano del Grappa (Vicenza), Italy Tel: +39 (0) 424 568124 r.a. Fax: +39 (0) 424 567093



The Brand >< 

ISA INDUSTRIAL LTD. MACAU | USA | VIETNAM | CHINA | ITALY www.litele



# **2018 AUBURN LEATHER CATALOG**

# GENUINE RAWHIDE LEATHER ACE





# **GENUINE RAWHIDE LEATHER LACE 2018 CATALOG**







Introduction

Since 1863, five generations of leather craftsmanship cultivated the authenticity required to produce the finest quality leather lace...a tradition that is now being carried on by ISA TanTec.

ISA TanTec, an eco-friendly leather manufacturer known for its **LITE** (Low Impact To the Environment) Trademark, has 4 ultra-modern tanneries located in the USA, Vietnam, China and Italy. As of June 1 2018, ISA TanTec acquired Auburn Leather to become the new lace division for ISA TanTec. As part of our integration, Auburn lace production has now transitioned to ISA TanTec's facilities using the same proprietary processes, hides, chemicals and equipment to ensure the uniqueness of Auburn's leather laces continues for our customers. The integration of Auburn Leather creates value through an optimized supply chain. Combined with a common sales and marketing structure on a global basis, we will strive to exceed our level of service and support to our customers.

"With the growing demand of today's market and increased pressure from foreign competitors, I sought and found a strong "partner" that will take the brand forward, in a stronger, more environmentally conscious manner and provide longevity for the Auburn brand for many years to come."

> *Lisa Howlett,* Brand Ambassador ISA Auburn Leather

> > Pg 1

# GENUINE RAWHIDE LEATHER LACES FOR FOOTWEAR

### **WE START WITH CHOICE HIDES**

Premium cowhides are tanned using a specialized lace formula for optimal strength, the drum-dyed for color using aniline dyestuffs and a specialized formulation of fat liquors and oils for ideal temper, tie-ability, crocking resistance and color fastness to water - all to ensure our leather lace meets the highest level of quality expected by our discerning customers.

### **STYLE, TEXTURE & QUALITY**

From traditional boat shoes, slippers, and boots, footwear designers use leather lace to establish a style. Leather laces are rich in texture & feel, timeless heritage, lasting tradition, and encompass the overall essence of natural quality. Using leather footwear lace is a value-add to any footwear design.


### **ENGINEERED FOR FUNCTION**

The performance of leather footwear lace is just as important as it's timeless visual appeal. The use of non-leather upper materials such as canvas, suede, and other synthetics requires different performance criteria than styles using full-grain leather uppers. To help designers select the right type of lace, we now offer a full array of leather lace options, tailored to meet today's style and performance needs. Our sales consulting team is highly knowledgeable and available to help you determine the ideal lace for your project.

As a tannery, ISA TanTec is committed to conserve the environment and resources. Sustainability is an important part of ISA's identity. In 2003, ISA TanTec developed the LITE (Low Impact To the Environment) concept which defines a high standard of environmental sustainability in the manufacturing process.



### LITE Features



\*The numbers are showing the lighting hours and water it will save to make one pair of laces (0.13 sqft of leather), comparing to the LWG Pass Score (50%) of 67.2 MJ /m2 for energy consumption and 178L/m2 for water consumption.

# ENGINEERED FOR FUNCTION

ace Options / Specificatio

Article (Product Name)	Tannage / Color	Function	Performance	Fashion
Genuine Rawhide Classic	Chrome Aniline / Semi Aniline Drum Dyed	Boat Shoes (M's & W's) Upper Material: Full Grain Leather	Std Thickness:2.8mm, +/-0.2mmPull Strength:25kg > 3.0mmCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:3	Surface: Tacky, "Cheesy" to touch Flesh: Natural Colors: Refer to Color Palette *Best overall "tie-ability"
Classic Plus	Chrome Semi Aniline & Pigments Sealed	Deck Shoes Upper Materials: Suede Synthethic, i.e. Canvas	Std Thickness:2.6mm, +/-0.2mmPull Strength:25kg > 3.0mmCrocking Resistance:3.5Color fastness to H2O:3.5Knot Slippage:3	Surface: No residual / Slick to touch Flesh: "Leather Dust Free" Colors: Refer to Color Palette
Slip On	Chrome Aniline / Semi Aniline Drum Dyed	Women's (3.2mm) applications in which the lace is not used as the closure *Available only up to 36"	Standard Diameters:2.4mmPull Strength:10kgCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:3	Surface: Natural Flesh: Natural Colors: 03 Cherokee Brown, 17 Dk Brown, 22 Dk Rust, 42 Burnt Sienna, 45 White, 62 Bulldog, 67 Seaweed, 100 Black, 215T Chestnut, 801 Rice
Rounded	Chrome Aniline / Semi Aniline Drum Dyed	Boots & Casual Shoes Upper Material: Full Grain Leather	Std Thickness:2.8mm, 3.0mm & 3.2mmPull Strength:25kg > 3.0mmCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:3	Surface: Natural Flesh: Natural Colors: Refer to Color Palette Also Available in Waxed & Pigment Finish
Specialty	Chrome Foil or Patent Iaminate	Boat & Deck Shoes Upper Material: Full Grain Leather Suede Synthetics	Std Thickness:2.6mm, +/-0.2mmPull Strength:25kg > 3.0mmCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:na	Surface: No residual / Slick to touch Flesh: "Leather Dust Free" Colors: Refer to Color Palette
Decorative (Non Functional)	Chrome Classic / Classic Plus Offal	Non Tieing Purposes, i.e. collar, kicker, bow & other non closure uses *Available only up to 36"	Std Thickness:2.4mm, +/-0.4mmPull Strength:10kgCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:3	Surface: Tacky, "Cheesy" to touch Flesh: Natural Colors: Subject to Demand *Available only up to 36"
All Weather Cougar	Aniline / Semi Aniline Drum Dyed	Heritage / 1000 Mile Boots Fire Jumper Boots Upper Material: Full Grain Leather	Std Thickness:2.5mm & 3.5mm +/-0.2mmPull Strength:30kgCrocking Resistance:2.5Color fastness to H2O:2.5Knot Slippage:3	Surface: Oily to touch Flesh: Oiled down Colors: Refer to Sample Booklet
Sporting Goods Lace	Combo Chrome Semi Aniline & Pigments Sealed	Boots Native American style Mocs Baseball Gloves Upper Material: Full Grain Leather	Std Thickness:2.5mmPull Strength:45kg @5.5mm widthCrocking Resistance:3.5Color fastness to H2O:3.5Knot Slippage:3	Surface: Tacky, "Cheesy" to touch Flesh: Natural Colors: Refer to Sample Booklet

# LACE SIZING For Footwear and Sporting Goods

Please specify Lace Type, Color, and Width x Thickness x Length when ordering for ROUND, Diameter x Length)

### **Standard Widths:**

7/64" / 2.8mm (Children's) 1/8" / 3.2mm (Women's) 9/64" / 3.6mm (Men's) 5/32" / 4.0mm (Sporting Goods) 3/16" / 4.8mm (Sporting Goods) 1/4" / 6.4mm (Sporting Goods)

### **Round Laces:**

Standard Diameters: 2.5mm (Jewelry / Trim) 3.0mm (Functional / Tie) 3.2mm (Functional / Tie)

## Standard Thicknesses:

Decorative / Non-Functional 3/32" / 2.4mm (+/-.4mm)

Slip On 3/32" / 2.4mm (+/-.2mm)

Standard women's 7/64" / 2.8mm (+/-.2mm)

Standard men's 1/8" / 3.2mm (+/-.2mm)



### Lisa Howlett Brand Ambassador

lisa.howlett@tantec1.com

### Adam Simon

Sales Director adam@tantec1.com

### Janice Rigsby

Senior Account Manager janice@tantec1.com

### Mississippi TanTec Leather, Inc.

101 TanTec Way, Vicksburg, MS 39183, USA Tel: +1 601 429 6081 Fax: +1 601 429 6082

### Saigon TanTec Leather Ltd.

Lot M2-M3, Viet Huong 2 Industrial Park, An Tay Village, Ben Cat District, Binh Duong Province, Vietnam Tel: +84 274 357 9101/357 9102 Fax: +84 274 357 9103

### Heshan TanTec Leather Co., Ltd.

No.3 Industrial Zone, Hecheng Town, Heshan City, Guangdong Province, 529727, China Tel: +86 750 831 3280/831 3294 Fax: +86 750 831 3288

### Scamosceria del Brenta srl

Via Pre' 42 - C.P. n. 5, 36061 Bassano del Grappa (Vicenza), Italy Tel: +39 (0) 424 568124 r.a. Fax: +39 (0) 424 567093



The Brand > Behind The Brand



### Does Auburn Leather test for restricted substances?

Absolutely. We are dedicated to providing not only the best quality leather, but leather that is safer for all. Our leather is 3rd party tested in the "wet blue" or raw, chrome-tanned state before it is ever drum-dyed. We then have our leather 3rd party tested in its finished state in accordance with our top footwear-brand customers RS requirements. We can provide a copy of our test reports upon request.

### What is leather "shade variance"?

We drum-dye our leather using aniline dyestuffs. Aniline dyes are transparent. Use of these dyes allows us to retain the natural beauty of the leather once dyed. Unlike pigments, which simply cover up the surface grain, our customers know us for natural look of our laces. All hides however have inherent shade patterns that differ from hide to hide. For that purpose, "Shade Variance Range Standard" is created. This range is what we will see consistantly out of the drum from mill load to mill load.

### Do you offer custom color development?

Yes. However, we do offer a wide array of colors, which are featured in our master catalog. Custom color requests will be evaluated on a case-by-case basis. If a requested color falls within the established shade variance range of an existing color, however, we will normally direct you to that color.

### What do you do with your scrap leather?

We use our leather "offal" from our footwear lace production to cut economical laces suitable for non-functional purposes. These laces are normally 2.0mm - 2.4mm in thickness and are perfect for slippers / mocs using the leather as a bow-tie or "kicker" (collar) lace. These laces are also great for decorative cross-stitching, decorative apparel and / or furniture trim, or as the hang lace for garden tools, BBQ utencils and craft projects.

### Does Auburn only offer leather laces for footwear?

No. We also produce leather for Baseball / Softball glove lacing. Ask one of our experienced salespersons for more details.

### Who is Leather Working Group (LWG)? How does it work to ensure sustainable environmental practices are in place in leather manufacturer like ISA?

Leather Working Group is a multi-stakeholder group with an objective to develop and maintain a protocol that assesses the environmental compliance and performance capabilities of leather manufacturers and promotes sustainable and appropriate environmental business practices within the leather industry. The members work together to maintain an environmental stewardship protocol specifically for the leather manufacturing industry. LWG carries out audits in a regular basis and the result is categorized into "Gold rated", "Silver rated", "Bronze rated" and "audited". To date, Auburn is the sole Gold-rated leather lace supplier in the industry.







# Genuine Rawhide Classic

The original high-performance "Boot Shoe" leather lace. "Engineered for Function" and designed for active, outdoor use. Tanned and processed for superior pull strength, suppleness and overall "tie-ability".

> Std Thickness: 2.8mm, +/-0.2mm Pull Strength: 25 kg > 3.0mm Crocking Resistance: 2.5 Color fastness to H2O: 2.5 Knot Slippage: 3

# **Classic Plus**

Classic Plus treatment is available upon request for styles featuring NON FULL-GRAIN LEATHER UPPERS (like canvas and suede) where improved crock resistance and color fastness to water are required. Classic Plus treatment is available for any / all Classic lace colors.

Std Thickness: 2.6mm, +/- 0.2mm Pull Strength: 25 kg > 3.0mm Crocking Resistance: 3.5 Color fastness to H2O: 3.5 Knot Slippage: 3



# **Core Classic**



# Classic

007 True White	
49 Birch	
609 Natural	
28T TC Tan	
08 Delaware	
64 Havana	
606 Monk's Robe	
30SH Tan	
44 Cinnamon	
21 Adobe	
24 Bean Cherokee	
608 Clove	
14T Dark Chocolate	
07 Nubuck	
607 Fossil	
12 Badger Brown	
60TC Cherokee	
603 Dove	
211 Gun Metal	
601 Dark Shadow	

# Classic

78 Dandelion	
63 Banana Cream	
332 Limelight	
374 Kelly Green	
335 Turquoise	
380 Hydro	
86 Burnt Olive	
605 Olive Night	
98 Forest Green	
89 Blue Atoll	
616 Blue Topaz	
93 Chicory	
611 Moonstone	
371 Captains Blue	
95 Wildcat Blue	
381 Mazarine Blue	
339 Blue Depths	
803 Navy	
396 Peacoat	
94 Midnight Blue	

# Classic

349 Fresh Bouquet	
612 Rose Quartz	
804 Lavender	
348 Dried Lavender	
613 Amethyst	
806 Peachblow	
760 Withered Rose	
72 Coral Rose	
92 Rasberry Sorbet	
614 Tourmaline	
357 Vivid Viola	
364 Purple Magic	
355 Grape Jam	
34 Wood Violet	
345 Desert Flower	
316 Georgia Peach	
298 Apricot	
29 Orange Peel	
307 Cherry Tomato	
91 Scarlet Red	

Pg 12

# Slip On / Decorative



# Slip On

Economical version of our Genuine Rawhide Classic Lace. Designed for "slip on styles" where the aesthetic look / feel of our leather lace is desired, is not used as the main closure of the shoe but is instead used in a fixed / stationary / immovable position. Not intended for functional tying.

Thickness: 2.4mm (+/- .2mm) Available colors may vary.





# Decorative (Non-Functional)

Made from our Genuine Rawhide Classic leather remnants (offal), this reduced-price option is tailored for decorative purposes only. Suggested style usage: slippers, mocs. Perfect for bow-ties, kickers, collars. Also great for accessory / apparel trim or accents.

Thickness: 2.4mm (+/- .4mm) Available colors may vary.

# Cougar / Sporting Goods





# All Weather Cougar

All-weather performance leather lace "Engineered for Function". Specially designed for outdoor, logger and heavy-duty work boots.

Std Thickness: 2.5mm & 3.5mm +/- 0.2mm Pull Strength: 30kg Crocking Resistance: 2.5 Color fastness to H2O: 2.5 Knot Slippage: 3


# **Sporting Goods Lace**

Our professional-grade Sporting Goods Glove Lace delivers superior strength and overall performance for baseball / softball gloves. Improved heat / moisture resistance and a durable yet mellow temper that resists cracking.

Std Thickness: 2.5mm Pull Strength: 45kg @5.5mm width Crocking Resistance: 3.5 Color fastness to H2O: 3.5 Knot Slippage: 3



# **Cougar / Sporting Goods**



# **Sporting Goods Lace**

508 True White A/C	
503 Dandelion	
529 Ochre Yellow A/C	
560 Cardinal Red A/C	
505 Wildcat Blue A/C	
520 Shadow Purple A/C	
524 Camel A/C	
514 Indian Tan A/C	
559 Cork A/C	
550 Dark Chocolate A/C	
525 Neutral Grey A/C	
506 Black A/C	








Cylindrical-cut version of our Genuine Rawhide Classic. Natural waxed finish offers a more subtle look for Men's and Women's lifestyle / casual styles, dress styles, and boots.

Std Thickness: 2.8mm, 3.0mm & 3.2mm 2.5mm standard diameter (non-functional) Pull Strength: 25kg > 3.0mm Crocking Resistance: 2.5 Color fastness to H2O: 2.5 Knot Slippage: 3



# Rounded





The Brand >< Behind The Brand

# Growing The Brand Behind The Brand

Consolidating suppliers is easy with ISA. Due to our recent acquisitions and expansions, we are now able to offer all leather footwear component needs: Shoe leather, genuine Italian leather, cut parts, leather trims, labels, and laces. All are made in our sustainable facilities!



# **For More Information:**

# www.liteleather.com

